

# **ADDENDUM NO. 2**

PROJECT NAME: CDBG West of Wurzbach Sewer Main – BID #2024-03

DATE: November 26<sup>th</sup>, 2024

This addendum should be included in and considered part of the plans and specifications for the project's name. The contractor shall be required to sign an acknowledgment of the receipt of this addendum and submit it with their bid.

# CHANGES TO THE SPECIFICATIONS


1. Add SS 901 - Special Provision to Standard Specification Item No. 901 (Rehabilitation of Sanitary Sewer by Cured-In-Place Pipe (Hot Water))

#### **Attachments:**

a) Special Provisions to Standard Specification Item No. 901

Total Pages Addendum No. 2: (3 Pages)

## END OF ADDENDUM No. 2





Note: Addenda Acknowledgement Form for Addendum No. 2 is attached herein. This form must be signed and submitted with the bid package.

RECEIPT OF ADDENDUM NUMBER(S) <u>2</u> IS HEREBY ACKNOWLEDGED FOR PLANS AND SPECIFICATIONS FOR CONSTRUCTION OF <u>CDBG East of Wurzbach Sewer Main</u> – <u>BID</u> #2024-03

FOR WHICH BIDS WILL BE PUBLICALLY OPENED ON THURSDAY, December 5, 2024 AT 10:00 A.M.

THIS ACKNOWLEDGEMENT MUST BE SIGNED AND RETURNED WITH THE BID PACKAGE.

Company Name:	
Address:	
City/State/Zip Code:	
Date:	
Signature	
Print Name/Title	

# SECTION SP 901 Rehabilitation of Sanitary Sewer By Cured-In-Place Pipe (Hot Water)

# SPECIAL PROVISION TO STANDARD SPECIFICATION ITEM NO. 901 (REHABILITATION OF SANITARY SEWERS BY CURED-IN-PLACE PIPE (HOT WATER))

#### 901.4 MATERIALS

ADD:

5. Hydrophilic End Seal Sleeves are required at each end of the pipe segment to be rehabilitated. LMK Technologies "Insignia" hydrophilic end seal sleeve or an engineer-approved equivalent shall be used.

### 901.5 CONSTRUCTION

ADD:

10. Operation

j. Hydrophilic end seals shall be placed at the manhole/wall interface per the end seal manufacturer's instructions before CIPP installation.

All other language in specification 901 shall remain in full force.

### **END OF SECTION**